



LED

2022



UNDERGROUND LED




Model N.O.	Power	Product Size		
DM-139	3*2W	Φ100*H115 MM		
DM-140	9*2W	Φ160*H137 MM		
DM-141	18*2W	Φ200*H170 MM		
DM-142	36*2W	Φ250*H194 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP66	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



UNDERGROUND LED




Model N.O.	Power	Product Size		
DM-025	1*1W	Φ65*H75 MM		
DM-002	3*1W	Φ100*H80 MM		
DM-011	5*1W	Φ120*H90 MM		
DM-003	6*1W	Φ120*H90 MM		
DM-005	7*1W	Φ120*H90 MM		
DM-001	9*1W	Φ160*H90 MM		
DM-008	12*1W	Φ160*H90 MM		
DM-015	15*1W	Φ200*H90 MM		
DM-004	18*1W	Φ200*H90 MM		
DM-026	24*1W	Φ250*H95 MM		
DM-138	36*1W	Φ250*H95 MM		
DM-006	36*1W	Φ300*H100 MM		
DM-098	48*1W	Φ300*H100 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.	Power	Product Size		
DM-121	3*2W	Φ120*H120 MM		
DM-143	9*2W	Φ200*H170 MM		
DM-122	12*1.5W	Φ200*H170 MM		
DM-123	18*2W	Φ250*H194 MM		
DM-124	24*1.5W	Φ250*H194 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP66	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			







UNDERGROUND LED



Model N.O.	Power	Product Size	
DM-013	4*1W	L100*W100*H75 MM	
DM-024	5*1W	L120*W120*H80 MM	
DM-012	9*1W	L160*W160*H80 MM	
DM-007	12*1W	L190*W190*H80 MM	
DM-022	24*1W	L250*W250*H85 MM	
DM-017	36*1W	L300*W300*H85 MM	
Material	Aluminum Alloy, Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP66
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		




Model N.O.	Power	Product Size	
DM-018	3*1W	L200*W90*H75 MM	
DM-014	5*1W	L200*W90*H75 MM	
DM-016	9*1W	L300*W90*H75 MM	
DM-023	12*1W	L600*W90*H75 MM	
DM-100	36*1W	L1000*W90*H75 MM	
DM-101	36*1W	L1000*W50*H90 MM	
Material	Aluminum Alloy, Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP66
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		



Model N.O.	Power	Product Size	
DM-029	3W	Φ100*H80 MM	
DM-033	5W	Φ120*H80 MM	
DM-030	10W	Φ150*H90 MM	
DM-021	15W	Φ150*H90 MM	
DM-031	20W	Φ180*H90 MM	
DM-032	30W	Φ220*H90 MM	
DM-065	40W	Φ250*H90 MM	
DM-063	50W	Φ300*H110 MM	
Material	Aluminum Alloy, Glass	Warranty	3 Years
Reflector's Angle	120°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		



Model N.O.		Power	Product Size	
DM-145		36W	L1057*W85*H98 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			




UNDERGROUND LED




Inside Adjustable




Model N.O.	Power	Product Size	
DM-068	5*1W	Φ150*H200 MM	
DM-085	9*1W	Φ180*H210 MM	
DM-146	12*1W	Φ180*H210 MM	
DM-086	18*1W	Φ200*H230 MM	
DM-094	24*1W	Φ230*H290 MM	
DM-097	36*1W	Φ250*H310 MM	
Material	Aluminum Alloy, Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		




Model N.O.	Power	Product Size		
DM-071	9*1W	Φ200*H190 MM		
DM-093	12*1W	Φ200*H190 MM		
DM-072	15*1W	Φ250*H210 MM		
DM-092	18*1W	Φ250*H210 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.		Power	Product Size	
DM-073		10W	Φ200*H190 MM	
DM-074		20W	Φ250*H210 MM	
Material	Aluminum Alloy, Glass		Warranty	3 Years
Reflector's Angle		60°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP66	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			




Model N.O.	Power	Product Size		
DM-087	3*2W	Φ120*H120 MM		
DM-088	4*2W	Φ150*H120 MM		
DM-089	6*2W	Φ180*H130 MM		
DM-090	9*2W	Φ200*H140 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP66	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			





UNDERGROUND LED



Model N.O.	Power	Product Size		
DM-109	3*2W	Φ130*H140 MM		
DM-116	9*2W	Φ160*H160 MM		
DM-117	12*2W	Φ200*H175 MM		
DM-118	15*2W	Φ260*H200 MM		
DM-119	18*2W	Φ260*H200 MM		
DM-120	24*1.5W	Φ260*H200 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP66	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			




Model N.O.	Power	Product Size		
DM-127	12*1W	Φ180*H170 MM		
DM-128	24*1W	Φ200*H170 MM		
DM-129	36*1W	Φ250*H170 MM		
DM-130	54*1W	Φ320*H170 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



UNDERGROUND LED




Model N.O.	Power	Product Size		
DM-131	3*1W	Φ100*H85 MM		
DM-132	5*1W	Φ130*H90 MM		
DM-133	6*1W	Φ130*H90 MM		
DM-135	9*1W	Φ160*H90 MM		
DM-136	12*1W	Φ160*H90 MM		
DM-137	18*1W	Φ200*H90 MM		
DM-138	24*1W	Φ250*H90 MM		
DM-134	36*1W	Φ300*H90 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			




Adjust 180°




Model N.O.	Power	Product Size	
DM-102	6*1W	Φ150*H180 MM	
DM-096	9*1W	Φ170*H200 MM	
DM-095	12*1W	Φ170*H200 MM	
DM-103	18*1W	Φ200*H250 MM	
Material	Aluminum Alloy, Glass		Warranty 3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		



Model N.O.	Power	Product Size		
DM-110	2*1W	Φ100*H40 MM		
DM-111	3*1W	Φ120*H40 MM		
DM-083	4W (2*1W*2)	Φ120*H40 MM		
DM-112	4*1W	Φ150*H40 MM		
DM-125	8W (4*1W*2)	Φ150*H40 MM		
DM-126	8W (2*1W*4)	Φ150*H40 MM		
Material	Aluminum Alloy, Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K			



Model N.O.	Power	Product Size	
DM-104	2*1W	Φ100*H40 MM	
DM-105	3*1W	Φ120*H40 MM	
DM-106	4*1W	Φ150*H40 MM	
Material	Aluminum Alloy, Glass		Warranty
			3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	BridgeLux
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5700K, 6500K		




UNDERGROUND LED



SS 304 Light Body

Waterproof IP68

Model N.O.	Power	Product Size		
DM-062	3*1W	Φ100*H100 MM		
DM-084	5*1W	Φ120*H100 MM		
DM-066	6*1W	Φ120*H100 MM		
DM-076	9*1W	Φ160*H100 MM		
DM-077	12*1W	Φ160*H100 MM		
DM-078	18*1W	Φ200*H100 MM		
DM-091	36*1W	Φ300*H100 MM		
Material	304 Stainless Steel, Tempered Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	LZ	Protect Grade	Waterproof IP68	
Input Voltage	12VDC/AC ; 24VDC/AC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			




One Window

Two Windows

Three Windows


Four Windows

Model N.O.		Power	Product Size	
DM-035		3*1W	Φ100*H110 MM	
DM-045		5*1W/6*1W	Φ120*H120 MM	
DM-075		9*1W	Φ160*H120 MM	
DM-050		12*1W	Φ180*H120 MM	
DM-082		18*1W	Φ200*H120 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			




Model N.O.	Power	Product Size		
DM-147	10W	Φ120*H120 MM		
DM-148	20W	Φ150*H120 MM		
DM-149	30W	Φ180*H135 MM		
DM-150	50W	Φ200*H140 MM		
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Reflector's Angle	60°	Led's Brand	Bridgelux	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			

UNDERGROUND LED



Model N.O.		Power		Product Size	
DM-151		50W		Φ250*H298 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Reflector's Angle		60°	Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K				




UNDERGROUND LED




Model N.O.		Power		Product Size	
DM-152		30W		Φ250*H298 MM	
Material	Aluminum Alloy, Tempered Glass			Warranty	3 Years
Reflector's Angle		60°	Led's Brand	CREE	
Driver	DONE		Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC				
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K				





Model N.O.		Power	Product Size	
DM-009		1W / 2W / 3W	Φ60*H90 MM	
DM-099		1W / 2W / 3W	Φ60*H90 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
	304 Stainless Steel, Tempered Glass			
Len's Angle	15° / 30° / 45° / 60°		Led's Brand	Bridgelux
Reflector's Angle	60°			
Driver	LZ	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			



UNDERGROUND LED



Model N.O.		Power	Product Size	
DM-153		6*2W	Φ180*H120 MM	
DM-154		18*1.5W	Φ210*H120 MM	
Material	Aluminum Alloy, Tempered Glass		Warranty	3 Years
Len's Angle	15° / 30° / 45° / 60°	Led's Brand	CREE	
Driver	DONE	Protect Grade	Waterproof IP65	
Input Voltage	85V-265VAC			
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K			



Model N.O.	Power	Product Size	
DM-155	7W	Φ130*H140 MM	
DM-156	12W/15W	Φ160*H155 MM	
DM-157	30W/40W	Φ270*H195 MM	
Material	Aluminum Alloy, Tempered Glass		
Warranty	3 Years	Led's Brand	CREE
Driver	DONE	Protect Grade	Waterproof IP65
Input Voltage	85V-265VAC		
Led's Color	2700K, 3000K, 4000K, 5500K, 6500K		