



Technical information

Power:	9W
Color temperature:	4000K
Product size:	Ø90mm x H16 mm
Cut size:	Ø70mm
Voltage:	85-265 V AC
Frequency:	50/60 Hz
Life span:	30000h
Beam angle:	120°
CRI:	≥80
PF:	≥0.50
IP:	IP20/IP44
Color body:	white
Usage:	inside
Pcs in masterbox:	50 pcs
Warranty:	2 years





Technical information



Power:	<i>18W</i>
Color temperature:	<i>4000K</i>
Product size:	<i>Ø120mm x H16mm</i>
Cut size:	<i>Ø105mm</i>
Voltage:	<i>85-265 V AC</i>
Frequency:	<i>50/60 Hz</i>
Life span:	<i>30000h</i>
Beam angle:	<i>120°</i>
CRI:	<i>≥80</i>
PF:	<i>≥0.50</i>
IP:	<i>IP20/IP44</i>
Color body:	<i>white</i>
Usage:	<i>inside</i>
Pcs in masterbox:	<i>50 pcs</i>
Warranty:	<i>2 years</i>





Technical information

Power:	24W
Color temperature:	4000K
Product size:	Ø175mmx H16mm
Cut size:	Ø155mm
Voltage:	85-265 V AC
Frequency:	50/60 Hz
Life span:	30000h
Beam angle:	120°
CRI:	≥80
PF:	≥0.50
IP:	IP20/IP44
Color body:	white
Usage:	inside
Pcs in masterbox:	50 pcs
Warranty:	2 years





Technical information

Power:	36W
Color temperature:	4000K
Product size:	Ø225mmx H16mm
Cut size:	Ø205mm
Voltage:	85-265 V AC
Frequency:	50/60 Hz
Life span:	30000h
Beam angle:	120°
CRI:	≥80
PF:	≥0.50
IP:	IP20/IP44
Color body:	white
Usage:	inside
Pcs in masterbox:	50 pcs
Warranty:	2 years

